



BRACE

Rosetta®



BRACE


Product Details

Product Type	Carpet Tile
Collection	Brace
Construction	Tufted 1/12 MCD
Yarn	100% Super AE Polyamide
Dye Method	Solution Dyed
Backing	PVC Reinforced Fiberglass
Product Size	50cm x 50cm
Gauge	1/12
Stitches	43 per inch
Finished Pile Thickness	6-7mm
Total Thickness	4mm - 6.5mm
Tufted Weight	550 gsm


Performance

Tuft Bind Strength	Passes ASTM D1335
Delamination Strength	Passes ASTM D3936
Flammability	Passes CPSC FF 1-70 / ASTM D2859
Radiant Panel Test	Passes ASTM E648 / NFPA 253
Smoke Density (Flaming & Non-Flaming)	Passes ASTM E662 / NIST
Static Propensity	Passes AATCC 134-2019
Colorfastness to Light	Passes AATCC TM16.3
Colorfastness to Crocking (Dry/Wet)	Passes AATCC TM165
Dimensional Stability	Passes ASTM D7570 / ISO 2551
Usage Classification	Passes EN 1307 - Class 33







01



02



03



06



05



04





The Brace collection is designed for strength and style. Built for high-traffic spaces, these durable carpet tiles offer modern patterns and a comfortable texture.



Quarter Turn Layout

06





02





04




02



03





02





04



05

05



06





04