

Dynamo

	De	

Product Type	Corpet Tile
Collection	Dynamo
Construction	Tufted 1/12 Multi Level Loop
Yarn	100% Super AE Polyamide
Dye Method	Solution Dyed
Backing	PVC Reinforced Fiberglass
Product Size	50cm x 50cm
Gauge	1/12
Stitches	45 per inch
Finished Pile Thickness	5-7mm
Total Thickness	4mm - 7mm
Tufted Weight	550 gsm

Performance

Tuft Bind Strength	Posses ASTM DI335
Delamination Strength	Posses ASTM D3936
Flammobility	Posses CPSC FF 1-70 / ASTM D2850
Radiant Panel Test	Posses ASTM E648 / NFPA 253
Smoke Density (runing s ton-roming)	Posses ASTM E662 / NIST
Static Propensity	Posses AATCC 134-2019
Colorfastness to Light	Posses AATCC TMI6.3
Colorfastness to Crocking (on/less)	Posses AATCC TMI65
Dimensional Stability	Posses ASTM D7570 / ISO 2551
Linna Classification	Bosses (N 1907 - Close 39

1	+
17	ш



















in Every Thread





DYNAMO 001 - BLACK

DYNAMO 002 - STEEL





DVNAMO 004 - FOSSII



Built for high-traffic areas, Dynamo combines innovative design with exceptional durability, ensuring your space stays vibrant and resilient. With Dynamo, you bring both power and style to the forefront, creating interiors that leave a lasting impression."







DYNAMO 006 - BILIE



001 - BLACK







004 - FOSSIL

